

Craftech Industries Materials List (Alphabetical)

Material Code No.	Material Name	Material Code No.	Material Name	Material Code No.	Material Name
-14	ABS	-195	Nylon 46, 30% Glass-filled,	-272	PVC, (white)
-62	Acetal		Flame Retardant, Heat Stabilized	-226	Radel® A-200,
-26	Acrylic	-22	Nylon 612		Polyethersulfone
-9	Celcon®	-78	Nylon 6/6, (black)	-234	Radel® AG-320, 20% Glass-
-10	Celcon®, Glass-filled	-18	Nylon 6/6, (natural)		filled Polyethersulfone
-100	Celenex®, 3300 Glass-filled	-215	Nylon 6/6, (white)	-228	Radel® AG-330,30% Glass-
-28	CPVC	-19	Nylon 6/6, 20% Short		filled Polyethersulfone
-25	Delrin® AF		Glass-filled	-231	Radel® R5100 NT15,
-24	Delrin®, (white)	-60	Nylon 6/6, 30% Short		Polyphenylsulfone
-63	Delrin®, (black)		Glass-filled	-229	Radel® R5500,
-64	Delrin®, 25% Short	-32	PCTFE		Polyphenylsulfone
	Glass-filled	-16	PEK®	-232	Radel® R5500 BK937,
-44	Ertalon®	-15	PEEK®		Polyphenylsulfone, (black)
-43	Ertalyte®	-151	PEEK®, (black)	-233	Radel® R5500 NT,
-31	FEP®	-97	PEEK® UHP (Ultra-High Purity)		Polyphenylsulfone,
-214	Fiberglass-Vinyl Ester	-90	PEEK®, 30% Glass-filled		(amber)
-38	Fiber Glass G10	-152	PEEK®, 450G, (black)	-217	Rexolite®
-58	Fiber Glass G11	-7	PES®	-223	Rexolite® 1422
-59	Fiber Vulcanized	-8	PES®, 30% Glass-filled	-211	Rulon®
-41	Halar®	-54	Phenolic Cotton	-207	Rulon® LR
-82	Isoplast™, 101	-55	Phenolic Linen	-49	Rynite®
-83	Isoplast™, 202	-53	Phenolic Paper	-218	Ryton®, 40% Glass-filled,
-84	Isoplast™, 301	-46	Polycarbonate, (clear)		(black), PPS
-85	Isoplast™, 302	-47	Polycarbonate Glass-filled	-48	Ryton®, 40% Short Glass-
-824	Isoplast™, 30% Short Glass	-68	Polyester PBT		filled
	Fiber, (natural)	-67	Polyester TPE Elastomer	-105	Supec®, 40% Glass-filled
-81	Isoplast™, 40% Long Glass	-13	Polyethylene	-50	Techtron (PPS)
	Fiber, (gray)	-131	Polyethylene, High Density,	-29	Teflon®
			(black)	-40	Teflon®, (PFA)
-74	Isoplast™, 40% Long Glass		Polypropylene, (black)	-296	Teflon® (PTFE), 15%
	Fiber, (natural)	-80	Polypropylene, (black)		Glass-filled
-37	Kynar®, (PVDF)	-112	Polypropylene, (gray)	-290	Teflon® (PTFE), Virgin 25%
-371	Kynar®, (black)	-11	Polypropylene, (natural)		Glass-filled
-372	Kynar®, (white)	-79	Polypropylene, (white)	-291	Teflon®, Virgin, (black)
-4	Lexan®, (black)	-111	Polypropylene Glass-filled,	-293	Teflon®, 10% Glass-filled,
-3	Lexan®, (clear)		(natural)		(gray)
-61	Lexan®, 20% Short Glass-	-116	Polypropylene, Glass-filled,	-294	Teflon®, 20% Glass-filled
	filled		(white)	-30	Tetzel®
-73	Lexan®, 30% Glass-filled	-108	Polypropylene, 30% Short	-57	Torlon®
-45	Lexan®, 30% Long Glass		Glass-filled, (white)	-39	UHMW®
	Fiber, (black)	-113	Polypropylene, 40% Glass-	-5	Ultem® 1000
-35	Noryl®		filled, (black)	-216	Ultem® 1000, (black)
-36	Noryl®, Glass-filled	-12	Polystyrene	-6	Ultem® 2300, (black)
-42	Nylatron® GS	-56	Polystyrene Cross-Link	-77	Ultem® 2300, (natural)
-72	Nylon, Fire Retardant	-33	Polysulfone	-699	Ultem® 2300, Re grind,
-21	Nylon Graphite-filled	-50	PPS		(black)
-70	Nylon, Heat Stabilized	-51	PPS, 20% Short Glass-	-771	Ultem® 2300R, (natural)
-20	Nylon MDS		filled	-208	Valox 315, (natural)
-23	Nylon Super Tough	-520	PPS, 30% Carbon Fiber,	-209	Valox, 15% Glass-filled,
-1	Nylon, 30% Long Glass- filled		(black)		(black)
-2	Nylon, 30% Long Glass-	-52	PPS, 40% Long Glass-filled		
	filled, (black), UV	-17	PPS, 50% Long Glass Fiber	-95	Vectra A115
-71	Nylon, 35% Long Glass-filled	-273	PVC, (black)	-212	VespeL SP211
-194	Nylon 46, 30% Glass-filled,	-274	PVC, (clear)	-213	VespeL®
	Heat Stabilized	-27	PVC, (gray)	-461	Zelux W

Craftech Industries Materials List (Numerical)

Material Code No.	Material Name	Material Code No.	Material Name	Material Code No.	Material Name
-1	Nylon, 30% Long Glass-filled	-52	PPS, 40% Long Glass-filled		Heat Stabilized
-2	Nylon, 30% Long Glass-filled, (black), UV	-53	Phenolic Paper	-195	Nylon 46, 30% Glass-filled, Flame Retardant, Heat Stabilized
-3	Lexan®, (clear)	-54	Phenolic Cotton		
-4	Lexan®, (black)	-55	Phenolic Linen	-207	Rulon® L R
-5	Ultem® 1000	-56	Polystyrene Cross-Link	-208	Valox 315, (natural)
-6	Ultem® 2300, (black)	-57	Torlon®	-209	Valox, 15% Glass-filled, (black)
-7	PES®	-58	Fiber Glass G11	-211	Rulon®
-8	PES®, 30% Glass-filled	-59	Fiber Vulcanized	-212	VespelSP211
-9	Celcon®	-60	Nylon 6/6, 30% Short Glass-filled	-213	Vespel®
-10	Celcon®, Glass-filled	-61	Lexan®, 20% Short Glass-filled	-214	Fiberglass-Vinyl Ester
-11	Polypropylene, (natural)	-62	Acetal	-215	Nylon 6/6, (white)
-12	Polystyrene	-63	Delrin®, (black)	-216	Ultem® 1000, (black)
-13	Polyethylene	-64	Delrin®, 25% Short Glass-filled	-217	Rexolite®
-14	ABS	-67	Polyester TPE Elastomer	-218	Ryton®, 40% Glass-filled, (black), PPS
-15	PEEK®	-68	Polyester PBT	-223	Rexolite® 1422
-16	PEK®	-70	Nylon, Heat Stabilized	-226	Radel® A-200, Polyethersulfone
-17	PPS, 50% Long Glass Fiber	-71	Nylon, 35% Long Glass-filled	-228	Radel® AG-330, 30% Glass-filled
-18	Nylon 6/6, (natural)	-72	Nylon, Fire Retardant		Poltethersulfone
-19	Nylon 6/6, 20% Short Glass-filled	-73	Lexan®, 30% Glass-filled	-229	Radel® R5500, Polyphenylsulfone
-20	Nylon MDS	-74	Isoplast™, 40% Long Glass Fiber, (natural)	-231	Radel® R5100 NT15, Polyphenylsulfone
-21	Nylon Graphite-filled	-77	Ultem® 2300, (natural)	-232	Radel® R5500 BK937, Polyphenylsulfone, (black)
-22	Nylon 612	-78	Nylon 6/6, (black)	-233	Radel® R5500 NT, Polyphenylsulfone, (amber)
-23	Nylon Super Tough	-79	Polypropylene, (white)	-234	Radel® AG-320, 20% Glass-filled
-24	Delrin®	-80	Polypropylene, (black)	-273	PVC, (black)
-25	Delrin® AF	-81	Isoplast®, 40% Long Glass Fiber, (gray)	-274	PVC, (clear)
-26	Acrylic	-82	Isoplast™, 101	-290	Teflon® (PTFE), Virgin 25% Glass-filled
-27	PVC, (gray)	-83	Isoplast™, 202	-291	Teflon®, Virgin, (black)
-28	CPVC	-84	Isoplast™, 301	-293	Teflon®, 10% Glass-filled, (gray)
-29	Teflon®	-85	Isoplast™, 302	-294	Teflon®, 20% Glass-filled
-30	Tetzel®	-90	PEEK®, 30% Glass-filled	-296	Teflon® (PTFE), 15% Glass-filled
-31	FEP®	-95	Vectra A115	-371	Kynar®, (black)
-32	PCTFE	-97	PEEK®, UHP (Ultra-High Purity)	-372	Kynar®, (white)
-33	Polysulfone	-100	Celenex®, 3300 Glass-filled	-461	Zelux W
-35	Noryl®	-105	Supec®, 40% Glass-filled	-520	PPS, 30% Carbon Fiber, (black)
-36	Noryl®, Glass-filled	-108	Polypropylene, 30% Short Glass-filled, (white)	-699	Ultem® 2300, Re grind, (black)
-37	Kynar®, (PVDF)	-111	Polypropylene, Glass-filled, (black)	-771	Ultem® 2300R, (natural)
-38	Fiber Glass G10	-112	Polypropylene, (gray)	-824	Isoplast™, 30% Short Glass Fiber, (natural)
-39	UHMW®	-113	Polypropylene, Glass-filled, (black)		
-40	Teflon®, (PFA)	-116	Polypropylene, Glass-filled, (white)		
-41	Halar®	-131	Polyethylene, High Density, (black)		
-42	Nylatron® GS	-151	PEEK®, (black)		
-43	Ertalyte®	-194	Nylon 46, 30% Glass-filled,		
-44	Ertalon®				
-45	Lexan®, 30% Long Glass Fiber, (black)				
-46	Polycarbonate, (clear)				
-47	Polycarbonate Glass-filled				
-48	Ryton®, 40% Short Glass-filled				
-49	Rynite®				
-50	Techtron (PPS)				
-51	PPS, 20% Short Glass-filled				

INDEX by Part Number (continued)

GA	HN (continued)	J (continued)	K (continued)	KN	M
GA117, 195.	HN107, 154.	J401, 104.	K109, 52.	KN202, 147.	M45595, 238.
	HN108, 154.	J402, 104.	K110, 53.		Mil-C5501, 238.
GM	HN109, 154.	J2000, 107.	K114, 53.	LM	
GM114, 114.		J2200, 116.	K116, 54.	LM108, 63.	MHC
GM115, 114.	IN	J2300, 116.	K117, 54.		MHC1900, 33.
GM117, 122.	IN200, 90.		K121, 55.		MHC18001, 103.
GM118, 115.	IN201, 89.	JM	K122, 55.	L	
GM119, 115.	IN202, 90.	JM108, 41.	K130, 56.	L106, 67.	MHN
			K131, 56.	L109, 63.	MHN1901, 33.
GN	J	JN	K200, 146.	L110, 64.	MHN1903, 30.
GN106, 112.	J106, 45	JN100, 88.	K201, 145.	L114, 64.	MHN1904, 30.
	J108, 158.	JN102, 88.	K241, 61.	L116, 65.	MHN1905, 38.
GP	J109, 41.	JN106, 79.	K243, 58.	L117, 65.	MHN1906, 30.
GP100, 109.	J110, 42.	JN109, 76.	K244, 57.	L121, 66.	MHN1907, 30.
	J114, 42.	JN110, 78.	K245, 57.	L122, 66.	MHN1908, 30.
	J116, 43.	JN112, 80.	K246, 58.	L130, 67.	MHN1912, 31.
	J117, 43.	JN114, 77.	K249, 57.	L131, 67.	MHN1913, 31.
	J121, 44.	JN115, 76.	K250, 57.	L241, 72.	MHN1917, 31.
H	J122, 44.	JN116, 81.	K251, 57.	L243, 69.	MHN1919, 31.
H100, 92.	J130, 45.	JN117, 82.	K252, 57.	L244, 68.	MHN1920, 31.
H101, 91.	J131, 45.	JN118, 83.	K255, 58.	L245, 68.	MHN1925, 32.
H102, 155.	J200, 146.	JN121, 85.	K256, 59.	L246, 69.	MHN1927, 32.
H105, 91.	J200J, 146.	JN123, 86.	K257, 59.	L249, 68.	MHN1940, 31.
	J241, 50.	JN125, 86.	K258, 60.	L250, 68.	MHN2010, 35.
HD	J243, 47.	JN128, 84.	K259, 60.	L251, 68.	MHN2011, 35.
HD100, 17.	J244, 46.		K260, 62.	L252, 68.	MHN2016, 35.
HD200, 17.	J245, 46.	JNM	K300, 157.	L255, 69.	MHN2017, 35.
	J246, 47.	JNM108, 75.	K301, 158.	L256, 70.	MHN2018, 35.
	J249, 46.		K307, 61.	L257, 70.	MHN2019, 35.
	J250, 46.		K308, 61.	L258, 71.	MHN2022, 38.
	J251, 46.		K309, 59.	L259, 71.	MHN2025, 36.
HG	J252, 46.		K310, 59.	L260, 73.	MHN2026, 36.
HG100, 19.	J255, 47.	JP	K307, 61.	L307, 72.	MHN2033, 37.
HG200, 21.	J256, 48.	JP100, 74.	K308, 61.	L308, 72.	MHN2035, 39.
HG300, 20.	J257, 48.	JP102, 74.	K309, 59.	L309, 70.	MHN2038, 36.
HG400, 18.	J258, 49.	JP109, 74.	K310, 59.	L310, 70.	MHN2039, 37.
	J259, 49.	JP110, 74.	K400, 105.	L400, 106.	MHN2040, 37.
	J260, 51.		K401, 105.	L401, 106.	MHN2041, 37.
HN	J307, 50.		K402, 105.	L402, 106.	MHN2042, 39.
HN103, 152.	J308, 50.		K2000, 108.	L2000, 108.	MHN2043, 39.
HN104, 153.	J309, 48.		K2200, 117.	L2200, 117.	MHN2044, 40.
HN106, 153.	J310, 48.	K	K2300, 117.	L2300, 117.	
	J400, 104.	K101, 158.			
		K106, 56.	KM		
			KM101, 99.		
			KM108, 52.		

INDEX by Part Number (continued)

MHT	O (continued)	O (continued)	PH	TK	V
MHT1500, 34.	O332, 291.	O386, 310.	PH100, 26.	TK400, 102.	V100, 161.
	O333, 296.	O387, 308.		TK402, 102.	V103, 161.
	O334, 296.	O390, 311.		TK403, 102.	V105, 161.
MHX	O335, 297.	O391, 311.	PN	TK404, 102.	V106, 161.
MHX1700, 103.	O336, 298.	O401, 300.	PN102, 248.	TK405, 101.	V107, 161.
MHX1800, 103.	O337, 297.	O402, 301.	PN103, 250.	TK406, 101.	V108, 161.
MHX2000, 107.	O338, 297.	O403, 303.	PN104, 251.	TK407, 101.	V109, 161.
MHX2200, 116.	O339, 298.	O404, 304.	PN105, 132.	TK408, 101.	V110, 161.
MHX2300, 116.	O340, 297.	O405, 306.	PN109, 255.		V112, 161.
	O341, 297.	O406, 307.	PN110, 257.	TN	V120, 161.
	O344, 288.	O407, 309.	PN111, 256.	TN100, 266.	V123, 161.
	O345N, 291.	O409, 309.	PN113, 252.	TN101, 264-265.	
	O346, 289.	O410, 310.	PN135, 249.	TN102, 267-268.	
MS	O347, 298.		PN136, 314.	TN103, 276.	
MS18211, 238.	O348, 298.	P	PN137, 316.	TN104, 284.	
MS18212, 238.	O350, 288.	P104, 251.	PN138, 315.	TN105, 276.	
MS24679, 238.	O352, 290.	P106, 250.	PN139, 315.	TN106, 278.	
MS24680, 238.	O353, 290.	P108, 259.	PN170, 249.	TN108, 278.	
MS27129, 238.	O354, 292.	P112, 252.	PN173, 254.	TN109, 273.	
MS51858, 238.	O357, 296.	P147, 260.	PN174, 254.	TN111, 274.	
MS51859, 238.	O360, 299.	P148, 257.	PN175, 254.	TN112, 277.	
	O361, 299.	P149, 256.	PN200, 262.	TN113, 273.	
NAS	O362, 299.	P150, 258.	PN201, 262.	TN114, 272.	
NAS813-844,	O363, 301.	P151, 258.	PN202, 262.	TN115, 272.	
238.	O364, 301.	P200, 253.	PN203, 262.	TN116, 272.	
	O365, 303.	P210, 253.		TN119, 269-270.	
	O366, 302.	P220, 253.	PR	TN120, 271.	
O	O367, 302.	P500, 242.	PR140, 316.	TN121, 280.	
O300N, 286.	O368, 304.	P501, 242.		TN122, 280.	
O301, 286.	O369, 304.	P502, 242.		TN123, 281.	
O302N, 287.	O370, 293.	P503, 242.	Q	TN124, 282.	
O303, 287.	O371, 293.	P504, 261.	Q103, 34.	TN125, 284.	
O304, 287.	O372, 294.	P505, 261.	Q104, 150.	TN126, 285.	
O305, 289.	O373, 294.	P505, 261.		TN127, 281.	
O306, 290.	O374, 295.	P507, 262.		TN128, 283.	
O307, 289.	O375, 295.	P506, 261.		TN129, 283.	
O308, 289.	O376, 294.	P517, 261.		TN130, 282.	
O309, 291.	O377, 295.	P518, 261.	QN	TN141, 285.	
O310, 292.	O378, 293.	P519, 261.	QN101, 87.	TN142, 275.	
O311, 288.	O380, 305.	P520, 240.		TN143, 272.	
O312, 288.	O381, 305.			TN145, 278.	
O313, 291.	O382, 306.	PA		TN148, 270.	
O314, 292.	O383, 307.	PA104, 251.		TN150, 279.	
O315, 292.	O384, 307.			TN158, 274.	
	O385, 308.			TN160, 275.	

INDEX by Entry

A

ABS, 29, 41-51, 104, 107, 116, 140, 144,149, 152, 155-156, 160, 178, 180, 191, 193-195, 223-224, 227, 236-237.

Acetal, 132, 181-182, 184, 186, 196, 198, 200, 203-204, 206, 208, 210, 212, 214, 216, 218, 228-230, 233-235, 250.

(See also Delrin® and Celcon®.)

Acme,

Nuts, 116.

Threaded Rod, 237.

B

Beam Clamps, 27.

Beam Clips, 28.

Binding Head Machine Screw, 30, 43, 54, 65, 82-84, 144.

Bushings,

Circuit Board, 229.

Circuit Board Plug, 229.

Countersunk, 228.

Countersunk Circuit Board, 229.

Counterbore, 228.

Electrical,

Armor, 321.

Double Insulated, 319.

Open/Close, 317.

Shorty, 320.

Snap, 318-319.

Snub, 317.

Threaded Insulated, 321.

Universal, 320.

Shoulder, 223-224.

Button Head Machine Screw, 146.

Metric, 157.

C

Cabinet Feet, 313.

Caps and Plugs (Product protection), 264-285.

Electrical Connector, 274.

Extra Large Tapered, 266.

Flanged Tube, 272.

Long, 272.

Multi-Purpose, 273.

Non-Threaded, 276.

NPT, 278.

Ribbed, 272.

Shallow, 272.

C (continued)

Sucker Rod Coupling, 278.

Tapered, 264-265.

Tear-Tab, 275.

Threaded, 276-277.

Tube, 272-273.

Unified, 278.

Wide Flange Tapered, 267-268.

Captive Panel Screws, 162-177.

Celcon®, 223-224, 236-237, 262.

(See also Acetal® and Delrin®.)

Celcon® Glass-filled, 223-224, 236-237.

Cheese Head Machine Screw,

Metric, 36, 47, 58, 69, 96, 157.

Clamps,

1/4" Hex Head Screw, 311.

Beaded Ties, 245.

Cable, 246-247.

Double E-Z Twist Lock, 243.

E-Z Twist Lock, 243.

E-Z Twist Lock on Fin Clip Base, 243.

E-Z Twist Lock Supports, 244.

Hose (Nylon), 312.

Releasable on Fin Clip Base, 245.

Stepless Ear, 311.

Clips,

Arrow, 259, 261.

Contour, 240.

Keyhole, 260.

Releasable Wire/Cable, 241-242.

Snap, 262.

Spin, 262.

Spring, 240.

Wire, 240.

Countersunk Head Screw,

Metric, 35, 46, 57, 68, 156.

CPVC, 144, 149, 152, 155-156, 160-161, 180-182, 184, 186, 191, 193, 195-196, 198, 200, 203-204, 206, 208, 210, 212, 214, 216, 218, 223-225, 227-230, 233-237.

D

Delrin®, 29, 34, 52, 57, 60-61, 62, 105,108, 117, 144, 149, 152, 155-156, 160-163, 165, 167, 169, 171, 173, 175-176, 178, 180-182, 184, 186, 191, 193-195, 223-225, 227, 236-237.

(See also Celcon® and Acetal®.)

Dowels, 132.

E

Engage 8400, 123.
Ertalyte®, 155.
Ertalon®, 155.
Eye Bolts, 23.
 Shoulder Eye Bolts, 23.
Extension Screws, 316.

F

Feet, Nylon Drive Mounting, 251.
Feet, Cabinet, 313.
FEP®, 155, 187-188, 190, 196, 198, 200, 202, 220, 222, 226, 230, 233-237.
Fiber Glass, G10, 144, 149, 152, 155-156, 160, 180, 191, 195-196, 198, 200, 202, 204, 206, 208, 210, 212, 214, 216, 218, 223-225, 227-229.
Fiber Glass G11, 155.
Fillister Head Machine Screw, 31, 42, 53, 64, 74, 76, 77, 146.
 Metric, 94, 156.
Fittings,
 (See Tube Fittings.)
Flat Head Machine Screw, 31, 44, 55, 66, 85-86, 145.
 Metric, 97-98.
Flat Head Socket Machine Screw, 145.

G

Grommet Nuts, 255-257.
Grommets,
 Spacer, 258.
 Standard, 258.
Grub Screw, slotted, 91.
 Metric, slotted, 100.

H

Halar®, 29, 52, 57, 60-61, 62, 105, 108, 117, 144, 149, 152, 155, 156, 160, 180, 187-188, 190-191, 195, 202, 220-224, 226-227, 236-237.
Handles, 17.
Hex Fit Bolts,
 Metric, 37, 48, 59, 70, 158.
Hex Flanged Head Cap Screw, 33, 45, 56, 67.
 Metric, 38, 49, 60, 71.

H (continued)

Hex Head Cap Screw, 28, 33, 45, 56, 67, 89, 147.
 Metric, 28, 37, 48, 59, 70, 158.
 Slotted, 32, 90, 147.
Hex Head Machine Screw, 31, 45, 56, 67, 74, 79-80, 146.
 Metric, 36, 47, 58, 69, 95, 157.
Hex Socket Countersunk Head Screw,
 Metric, 38, 49, 60, 71, 158.
Hex Socket Head Cap Screw, 32, 99, 147.
 Metric, 37, 48, 59, 70, 158.
Hex Socket Head Machine Screw, 43, 54, 65, 81.
Hex Socket Head Shoulder Screw, 147.
Hex Washer Head Cap Screw, 90.
Hinges, 18-21.
Hose Fittings,
 (See Tube Fittings)

I

Insulators,
 Screw, 140-141, 225-226.
 Metric Screw, 141, 227.
Isoplast®, 30% Short Glass Fiber, 19-21, 29-40, 103, 107, 116, 123.
Isoplast®, 40% Long Glass Fiber, 17, 23-26, 29-40, 103, 107, 116, 123.
Isoplast®, 60% Long Glass Fiber, 27-28.

K

Knobs,
 Thumb Screw, 101-102.
Kynar® Hose Fittings, 299-304 .

L

Lexan®, 140, 144, 149, 152, 155-156, 160-161, 180, 191, 195, 223-224, 227, 236-237.
Leveling Foot, 22.

M

Military Standard Fasteners and Components, 238.
Metric Fasteners, 35-40, 46-51, 57-62, 68-73, 93-100, 107-108, 114-115, 121, 129, 141, 156-161, 180, 227.
Meldin®, 162-163, 165, 167, 169, 171, 173, 175-176.

N

NAS, 238.

Noryl®, 29, 41-51, 104, 107, 116, 140, 144, 149, 152, 155-156, 160, 180, 191, 195, 223-225, 227, 236-237.

Nuts,

Cap, 112, 160.

Cap, metric, 114, 180.

Clamp, 103-106.

Flanged, 103-106, 110.

Acme, 116-117.

Grommet,

Closed, 256.

Double Split Square Head, 257.

Round Head, 256.

Standard, 258.

Spacer, 258.

Square Head, 255.

Three Legged Square Head, 257.

Hex, 103-109, 178.

Acme, 116-117.

Heavy, 178.

Jam, 110, 159.

Metric, 107-108, 114, 180.

Lock, 111.

Metric, 115.

Thumb, 111, 113, 179.

Wing, 112.

Metric, 115.

Nylatron GS, 155, 181-182, 184, 186, 236-237.

Nylon, Heat Stabilized, 181-182, 184, 186.

Nylon MDS, 155, 181-182, 184, 186, 236-237.

Nylon 612, 155, 236-237.

Nylon 6/6, 75-102, 109-115, 118, 120, 122, 124, 126, 128-133, 135, 137, 139-142, 144, 149, 152, 155-156, 160, 178, 180-182, 184, 186, 191, 193-195, 203-204, 206, 208, 210, 212, 214, 216, 218, 223-225, 227-229, 236, 238, 240, 241-246, 247-263, 285-295, 305-310, 312, 314-324, 326-328.

Nylon 6/6, 20% Glass-filled, 155.

Nylon 6/6, 30% Glass-filled, 23, 29, 41-51, 104, 107, 116, 140, 144, 149, 152, 156, 160, 162-163, 165, 167, 169, 171, 173, 175-176, 178, 180, 191, 193-196, 198, 200, 203-204, 206, 208, 210, 212, 214, 216, 218, 223-225, 227-230, 233-237, 305-310, 312, 323.

Nylon 46, Glass-filled, 29, 41-51, 104, 107, 116, 140, 144, 149, 152, 155-156, 160, 178, 180, 195-196, 198.

Nylon Super Tough, 144, 149, 152, 155-156, 160-161, 180, 191, 195, 223-224, 227, 236-237.

O

Oval Head Machine Screw, 86, 145.

Metric, 97-98.

P

Pan Head Machine Screw, 30, 41, 52, 63, 74-76, 144.

Metric, 35, 46, 57, 68, 93, 156.

PEEK™, 29, 63, 68, 71-73, 106, 108, 117, 144, 149, 152, 155-156, 160-163, 165, 167, 169, 171, 173, 175-176, 178, 180, 191, 193, 195-196, 198, 200, 223-225, 227, 230, 233-237.

PEEK™, 30% Glass-filled, 29, 41, 46, 49-51, 104, 107, 116, 140, 225.

PES, 155.

PFA (Teflon®), 144, 152, 155, 156, 160-161, 178, 180, 187, 191, 193-196, 198, 200, 202-204, 206, 208, 210, 212, 214, 216, 218, 220-224, 226-230, 233-237.

Phenolic, 181-182, 184, 186, 238, 321.

Pipe Hanger, 26.

PCTFE, 144, 149, 152, 155-156, 160-161, 178, 180, 187-188, 190-191, 193-196, 198, 200, 202, 220-224, 226-227, 230, 233-237.

Plugs,

Electrical Applications,

Connector, 279.

Dome, 322.

Double "D", 324.

Glossy, 326.

Hole, 263.

Insulation, 327.

Knock-out Seals, 328.

Liquid Tight Knock-out Seals, 328.

Pry Out, 324.

Shorty, 323.

Threaded, 323.

Vent, 263, 327.

Window, 325.

Product protection (Plugs and Caps), 264-285

Center-Tab, 269-270.

Extra Large Tapered, 266.

Extra-Wide Flange, 271.

Flared-Fitting, 282.

Multi-Purpose, 285.

NPT, 278.

Side-Tab, 270.

Snap-In, 281, 285.

Sucker-Rod Coupling, 278.

P (continued)

- Tapered**, 264-265.
- Thin-Wall**, 280-281.
- Threaded**, 282-284.
- Unified**, 278.
- Wide Flange Tapered**, 267-268.
- Polycarbonate**, 17, 19, 29, 41-51, 74, 104, 107, 109, 116, 178, 196, 198, 200, 203-204, 206, 208, 210, 212, 214, 216, 218, 228-230, 233-237, 293-298, 325.
(See also Lexan®.)
- Polyethylene**, 144, 149, 152, 155-156, 160, 178, 180-182, 184, 186, 191, 193-195, 223-225, 227, 236-238, 264, 266-267, 269-285, 305-310, 314-315, 321.
- Polypropylene**, 22, 29, 52, 57, 60-61, 62, 105, 108, 117, 144, 149, 152, 155, 156, 160, 161, 178, 180-182, 184, 186, 191, 193-196, 198, 200, 203-204, 206, 208, 210, 212, 214, 216, 218, 223-225, 227-230, 233-238, 286-298, 305-310, 316.
- Polypropylene, UV Stabilized, Flame Retardant**, 18.
- Polypropylene, Flame Retardant**, 18, 22.
- Polypropylene, 30% Glass-filled**, 29-40, 103, 107, 116, 140, 225.
- Polypropylene, 40% Glass-filled**, 17, 19-21, 23.
- Polystyrene**, 155, 236-237.
- Polysulfone**, 144, 149, 152, 155-156, 160-161, 180, 191, 195, 223-225, 227, 236-237.
- Post and Screw**,
 - Ratchet Assembly**, 316.
 - Rapid Assembly**, 314-315.
- PPS, 30% Carbon Fiber**, 29-40, 103, 107, 116, 123, 161.
- Push-in-Fasteners**, 248.
 - Special item Push-in-Fastener**, 249.
- PVC**, 144, 149, 152, 155-156, 160-163, 165, 167, 169, 171, 173, 175-176, 180-182, 184, 186, 191, 193, 195-196, 198, 200, 203-204, 206, 208, 210, 212, 214, 216, 218, 223-225, 227-230, 233-237.
- PVDF**, 34, 52, 57, 60-62, 105, 108, 117, 144, 149, 152, 155-156, 160-163, 165, 167, 169, 171, 173, 175-176, 178, 180-182, 184, 186-188, 190-191, 193-196, 198, 200, 202-204, 206, 208, 210, 212, 214, 216, 218, 220-224, 226-230, 233-237, 293-295.

R

- Ratchet Fastener**, 253.
- Radel®**, 29-51, 103-104, 107, 116, 123, 140, 144, 149, 152, 155-156, 160-161, 178, 180, 191, 193, 195, 225, 227.
- Raised Countersunk Head Screw**,
 - Metric**, 35, 46, 57, 68, 156.

R (continued)

- Rivets**,
 - Drive Rivets**, 250, 251.
 - Two Piece Anchor Rivets**, 252.
 - Two Piece Removable Rivets**, 253.
 - Two Piece Screw Rivits**, 254.
 - Snap Rivets**, 249.
 - Molded Rivets**, 250.
 - Poly Drive Rivit Mounting Feet**, 251.
 - Poly Drive Rivit Supports**, 250.
 - Racheting Action Rivits**, 253.
 - Rachet Fasteners**, 253.
 - Round Head Machine Screw**, 30, 42, 53, 64, 78, 144.
 - Ryton, (PPS)**, 26, 29-40, 103, 107, 116, 123.
- S**
- Santoprene**, 328.
 - Screws**, (See specific head style.)
 - Vented**, 161.
 - Set Screws**,
 - Chamfered End**,
 - Metric**, 40, 51, 62, 73, 160.
 - Cone Point**, 149, 154.
 - Metric**, 40, 51, 62, 73, 160.
 - Cup Point**, 149.
 - Metric**, 40, 51, 62, 73, 160.
 - Dog Point**, 149, 154.
 - Metric**, 40, 51, 62, 73, 160.
 - Flat Point**, 149, 153.
 - Metric**, 40, 51, 62, 73, 160.
 - Large Size**, 155.
 - Oval Point**, 149, 153.
 - Plain Point**, 152.
 - Socket**, 91.
 - Slotted**, 92.
 - Spacers**,
 - Cushioning**, 123.
 - Hex**, 131.
 - Hex, tapped**, 131.
 - Retaining**, 132.
 - Round**, 124-128, 196-202.
 - Metric**, 129.
 - Tapped**, 130.
 - Spin Clips**, 262.
 - Standoffs**,
 - Hex**, 233.
 - Male-Female**, 142.
 - Hex**, 234.
 - Round**, 235.
 - Round**, 230.
 - Snap-in**, 142.

T

Teflon®, 144, 149, 152, 155-156, 160-161, 165-170, 173-174, 176-177, 180-182, 184, 186-188, 190, 195-196, 198, 200, 202-204, 206, 208, 210, 212, 214, 216, 218, 220-224, 226-230, 233-238.

Tefzel®, 144, 149, 152, 155-156, 160, 180, 187-188, 190-191, 195, 202, 220-224, 226-227, 236-237.

Threaded Rod, 28, 236.

Acme, 237.

Metric, 236.

Thumb Screws, 34, 88, 150.

Metric, Hex Socket, 99.

Knurled, 88, 151.

Metric, 39, 50, 59, 61, 72, 159.

Slotted, 87, 151.

Metric, 39, 50, 61, 72, 99, 159.

Torlon®, 236-237.

Truss Head Machine Screw, 146.

Tube Fittings,

Automotive, 292.

Barbed, 287, 299, 301, 307.

90° Barbed, 287, 293, 299, 305.

Barbed Connectors, 287, 294, 305.

Barbed Elbow, 290, 294, 301, 307.

Barbed Reducing Connector, 288, 294, 302, 308.

Barbed Reducing Elbow, 288, 290, 301, 307.

Barbed Reducing Tee, 295, 300.

Barbed Tee, 288, 295, 301, 307.

Barbed Tube to Port Fitting, 286, 293.

Barbed Tubing Plug, 292, 303, 309.

Barbed “Y”, 295, 303, 309.

Branch Elbow, 289, 301.

Branch Tee, 289, 300, 301, 306.

Dome Nut, 291.

Equal Leg Coupler, 302.

Female Luer, 298.

Female Luer Bulkhead Mounting, 297.

Female Luer Connector, 298.

Female Luer Plug, 298.

Female Luer Tee, 298.

Female Luer , Threaded, 297.

Internally Threaded Elbow, 290.

Internally Threaded Tee, 289.

Locking Sleeve, 291.

Male Luer, 296, 297.

Male Luer Locking Nut, 297.

Male Luer Plug, 297.

Nipple, 288.

Reducers, 288, 302, 306.

T (continued)

Reduction Coupler, 302.

Thread Protector, 291.

Threaded Connectors, 288, 304, 310.

Threaded Elbow, 291.

Threaded Plug, 292, 304, 310.

U

U-Bolts, 24-25.

UHMW®, 144, 149, 152, 155-156, 160, 180, 191, 195, 223-225, 227, 236-237.

Ultem® 1000, 29, 41-51, 104, 107, 116, 140, 144, 149, 152, 155-156, 160, 162-163, 165, 167, 169, 171, 173, 175-176, 178, 180, 191, 193-195, 223-225, 227, 236-237.

Ultem® 2300, 29-40, 103, 107, 116, 123, 140, 144, 149, 152, 155-156, 160, 178, 180, 191, 193-195, 223-225, 227, 236-237.

V

Vespel®, 144, 149, 152, 155-156, 160-163, 165, 167, 169, 171, 173, 175-176, 180, 191, 195, 223-224, 227.

Vinyl Ester, 28, 236-237.

Vented Screws, 161.

W

Washers,

Cup, 122.

Cushioning, 123.

Finishing, 122, 194.

Flat, 118-121, 181-193.

Metric, 122, 195.

Large, 186.

Retaining, 122.

Shoulder, 133-140, 203-222.

Wire Handling Hardware & Accessories, 240-247.