

## MOLDED MACHINE SCREWS - L Series

For other materials refer to Craftech MOLDED SCREWS on pages 30-73 (MH, J, & K series).  
For Nylon 6/6 MOLDED SCREWS, see pages 75-100.

\*Available in other materials. See material list in index.  
Other sizes available on request.  
Dimensions may vary with material.


\*Available in the following material:

Material Code No.	Material Name
-15	PEEK™

### PAN HEAD SLOTTED

Part No. LM108 - (Size Code No.) - (Material Code No.)  
(below) (above)

Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-13	2-56	1/8	-45	6-32	7/16	-75	10-32	1/4
-15	2-56	3/16	-46	6-32	1/2	-76	10-32	5/16
-16	2-56	1/4	-47	6-32	5/8	-77	10-32	3/8
-17	2-56	9/32	-48	6-32	3/4	-78	10-32	1/2
-18	2-56	5/16	-49	6-32	7/8	-79	10-32	5/8
-19	2-56	3/8	-50	6-32	1	-80	10-32	3/4
-20	2-56	1/2	-51	6-32	1 1/4	-81	10-32	1
-21	2-56	5/8	-52	6-40	1/4	-82	10-32	1 1/4
-22	2-56	3/4	-53	8-32	1/4	-83	10-32	1 1/2
-23	3-48	1/8	-54	8-32	9/32	-84	1/4-20	1/4
-24	3-48	1/4	-55	8-32	5/16	-85	1/4-20	3/8
-25	3-48	3/4	-56	8-32	3/8	-86	1/4-20	7/16
-26	4-40	1/8	-57	8-32	7/16	-87	1/4-20	1/2
-27	4-40	3/16	-58	8-32	1/2	-88	1/4-20	5/8
-28	4-40	1/4	-59	8-32	5/8	-89	1/4-20	3/4
-29	4-40	5/16	-60	8-32	3/4	-90	1/4-20	13/16
-30	4-40	3/8	-61	8-32	7/8	-91	1/4-20	1
-31	4-40	7/16	-62	8-32	1	-92	1/4-20	1 1/4
-32	4-40	1/2	-63	8-32	1 1/4	-93	1/4-20	1 3/8
-33	4-40	9/16	-64	8-32	1 1/2	-94	1/4-20	1 1/2
-34	4-40	5/8	-65	10-24	3/16	-95	5/16-18	1/2
-35	4-40	3/4	-66	10-24	1/4	-96	5/16-18	3/4
-36	4-40	7/8	-67	10-24	5/16	-97	5/16-18	1
-37	4-40	1	-68	10-24	3/8	-98	5/16-18	1 1/4
-39	6-32	1/8	-69	10-24	1/2	-99	5/16-18	1 1/2
-40	6-32	5/32	-70	10-24	5/8	-100	3/8-16	1/2
-41	6-32	3/16	-71	10-24	3/4	-101	3/8-16	3/4
-42	6-32	1/4	-72	10-24	1	-102	3/8-16	1
-43	6-32	5/16	-73	10-24	1 1/4	-103	3/8-16	1 1/4
-44	6-32	3/8	-74	10-24	1 1/2	-104	3/8-16	1 1/2




Thread Size	A	H	J	T
2	.161	.049	.027	.026
4	.212	.063	.035	.035
6	.263	.077	.043	.043
8	.314	.091	.049	.051
10	.365	.105	.055	.060
1/4	.482	.137	.069	.078
5/16	.604	.170	.078	.095
3/8	.728	.204	.087	.112

### PAN HEAD PHILLIPS

Part No. L109 - (Size Code No.) - (Material Code No.)  
(below) (above)

Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-1	2-56	1/8	-9	2-56	5/8	-17	4-40	7/16
-2	2-56	5/32	-10	2-56	3/4	-18	4-40	1/2
-3	2-56	3/16	-11	4-40	1/8	-19	4-40	9/16
-4	2-56	1/4	-12	4-40	3/16	-20	4-40	5/8
-5	2-56	9/32	-13	4-40	1/4	-21	4-40	3/4
-6	2-56	5/16	-14	4-40	.320	-22	4-40	7/8
-7	2-56	3/8	-15	4-40	5/16	-23	4-40	1
-8	2-56	1/2	-16	4-40	3/8			




FOR SCREW DIMENSIONS SEE CHART FOR PAN HEAD SLOTTED

MOLDED MACHINE SCREWS - L Series (continued)

**ROUND HEAD SLOTTED**

Part No. L110 - (Size Code No.) - (Material Code No.)  
(below) (page 63)

Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-1	2-56	1/8	-27	6-32	5/16	-54	10-32	1/4
-2	2-56	5/32	-28	6-32	3/8	-55	10-32	5/16
-3	2-56	3/16	-29	6-32	7/16	-56	10-32	3/8
-4	2-56	1/4	-30	6-32	1/2	-57	10-32	1/2
-5	2-56	9/32	-31	6-32	5/8	-58	10-32	5/8
-6	2-56	5/16	-32	6-32	3/4	-59	10-32	3/4
-7	2-56	3/8	-33	6-32	7/8	-60	10-32	1
-8	2-56	1/2	-34	6-32	1	-61	1/4-20	1/4
-9	2-56	5/8	-36	8-32	1/4	-62	1/4-20	3/8
-10	2-56	3/4	-37	8-32	9/32	-63	1/4-20	7/16
-11	4-40	1/8	-38	8-32	5/16	-64	1/4-20	1/2
-12	4-40	3/16	-39	8-32	3/8	-65	1/4-20	5/8
-13	4-40	1/4	-40	8-32	7/16	-66	1/4-20	3/4
-14	4-40	5/16	-41	8-32	1/2	-67	1/4-20	13/16
-15	4-40	3/8	-42	8-32	5/8	-68	1/4-20	1
-16	4-40	1/2	-43	8-32	3/4	-70	5/16-18	1/2
-17	4-40	9/16	-44	8-32	7/8	-71	5/16-18	3/4
-18	4-40	5/8	-45	8-32	1	-72	5/16-18	1
-19	4-40	3/4	-46	10-24	3/16	-73	5/16-18	1 1/4
-20	4-40	7/8	-47	10-24	1/4	-74	5/16-18	1 1/2
-21	4-40	1	-48	10-24	5/16	-75	3/8-16	1/2
-22	4-40	2 1/2	-49	10-24	3/8	-76	3/8-16	3/4
-23	6-32	1/8	-50	10-24	1/2	-77	3/8-16	1
-24	6-32	5/32	-51	10-24	5/8	-78	3/8-16	1 1/4
-25	6-32	3/16	-52	10-24	3/4	-79	3/8-16	1 1/2
-26	6-32	1/4	-53	10-24	1			




Thread Size	A	H	J	T
2	.154	.064	.027	.043
4	.202	.081	.035	.051
6	.250	.097	.043	.060
8	.298	.114	.049	.067
10	.347	.130	.055	.076
1/4	.458	.168	.069	.096
5/16	.574	.207	.078	.116
3/8	.689	.247	.087	.136

**FILLISTER HEAD SLOTTED**

Part No. L114 - (Size Code No.) - (Material Code No.)  
(below) (page 63)

Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-13	2-56	1/8	-48	6-32	5/8	-79	10-32	1/2
-14	2-56	5/32	-49	6-32	3/4	-80	10-32	5/8
-15	2-56	3/16	-50	6-32	7/8	-81	10-32	3/4
-16	2-56	7/32	-51	6-32	1	-82	10-32	1
-17	2-56	1/4	-52	6-32	1 1/4	-83	10-32	1 1/4
-18	2-56	5/16	-54	8-32	1/4	-84	10-32	1 1/2
-19	2-56	3/8	-55	8-32	9/32	-85	10-32	1/4
-20	2-56	1/2	-56	8-32	5/16	-86	1/4-20	3/8
-21	2-56	5/8	-57	8-32	3/8	-87	1/4-20	7/16
-22	2-56	3/4	-58	8-32	7/16	-88	1/4-20	1/2
-26	4-40	1/8	-59	8-32	1/2	-89	1/4-20	5/8
-27	4-40	3/16	-60	8-32	5/8	-90	1/4-20	3/4
-28	4-40	1/4	-61	8-32	3/4	-91	1/4-20	13/16
-29	4-40	5/16	-62	8-32	7/8	-92	1/4-20	1
-30	4-40	3/8	-63	8-32	1	-93	1/4-20	1 1/4
-31	4-40	7/16	-64	8-32	1 1/4	-94	1/4-20	1 3/8
-32	4-40	1/2	-65	8-32	1 1/2	-95	1/4-20	1 1/2
-33	4-40	9/16	-66	10-24	3/16	-97	5/16-18	3/8
-34	4-40	5/8	-67	10-24	1/4	-98	5/16-18	1/2
-35	4-40	3/4	-68	10-24	5/16	-99	5/16-18	3/4
-36	4-40	7/8	-69	10-24	3/8	-100	5/16-18	1
-37	4-40	1	-70	10-24	1/2	-1000	5/16-18	1 1/4
-40	6-32	1/8	-71	10-24	5/8	-1001	5/16-18	1 1/2
-41	6-32	5/32	-72	10-24	3/4	-101	3/8-16	1/2
-42	6-32	3/16	-73	10-24	1	-102	3/8-16	3/4
-43	6-32	1/4	-74	10-24	1 1/4	-103	3/8-16	1
-44	6-32	5/16	-75	10-24	1 1/2	-104	3/8-16	1 1/4
-45	6-32	3/8	-76	10-24	1/4	-105	3/8-16	1 1/2
-46	6-32	7/16	-77	10-32	5/16			
-47	6-32	1/2	-78	10-32	3/8			




Thread Size	A	O	J	T
2	.132	.074	.027	.031
4	.174	.097	.035	.041
6	.217	.121	.044	.052
8	.260	.144	.050	.062
10	.302	.168	.055	.073
1/4	.402	.222	.070	.098
5/16	.504	.279	.078	.123
3/8	.606	.335	.088	.148


MOLDED MACHINE SCREWS - L Series (continued)

**HEX SOCKET HEAD**

Part No. L116 - (Size Code No.) - (Material Code No.)  
(below) (page 63)




Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-1	4-40	1/8	-22	8-32	5/16	-43	10-32	3/4
-2	4-40	3/16	-23	8-32	3/8	-44	10-32	1
-3	4-40	1/4	-24	8-32	7/16	-45	1/4-20	1/4
-4	4-40	5/16	-25	8-32	1/2	-46	1/4-20	3/8
-5	4-40	3/8	-26	8-32	5/8	-47	1/4-20	7/16
-6	4-40	1/2	-27	8-32	3/4	-48	1/4-20	1/2
-7	4-40	5/8	-28	8-32	7/8	-49	1/4-20	5/8
-8	4-40	3/4	-29	8-32	1	-50	1/4-20	3/4
-9	4-40	1	-30	10-24	3/16	-51	1/4-20	13/16
-10	6-32	1/8	-31	10-24	1/4	-52	1/4-20	1
-11	6-32	3/16	-32	10-24	5/16	-54	5/16-18	1/2
-12	6-32	1/4	-33	10-24	3/8	-55	5/16-18	3/4
-13	6-32	5/16	-34	10-24	1/2	-56	5/16-18	1
-14	6-32	3/8	-35	10-24	5/8	-57	5/16-18	1 1/4
-15	6-32	7/16	-36	10-24	3/4	-58	5/16-18	1 1/2
-16	6-32	1/2	-37	10-24	1	-59	3/8-16	1/2
-17	6-32	5/8	-38	10-32	1/4	-60	3/8-16	3/4
-18	6-32	3/4	-39	10-32	5/16	-61	3/8-16	1
-19	6-32	1	-40	10-32	3/8	-62	3/8-16	1 1/4
-20	8-32	1/4	-41	10-32	1/2	-63	3/8-16	1 1/2
-21	8-32	9/32	-42	10-32	5/8			




Thread Size	A	H	J
4	.180	.110	.094
6	.222	.136	.109
8	.266	.162	.141
10	.307	.188	.156
1/4	.370	.247	.188
5/16	.463	.309	.250
3/8	.556	.371	.312

**BINDING HEAD SLOTTED**

Part No. L117 - (Size Code No.) - (Material Code No.)  
(below) (page 63)



Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-1	2-56	1/8	-29	6-32	3/8	-58	10-32	5/16
-2	2-56	5/32	-30	6-32	7/16	-59	10-32	3/8
-3	2-56	3/16	-31	6-32	1/2	-60	10-32	1/2
-4	2-56	1/4	-32	6-32	5/8	-61	10-32	5/8
-5	2-56	9/32	-33	6-32	11/16	-62	10-32	3/4
-6	2-56	5/16	-34	6-32	3/4	-63	10-32	1
-7	2-56	3/8	-35	6-32	7/8	-64	1/4-20	1/4
-8	2-56	1/2	-36	6-32	1	-65	1/4-20	3/8
-9	2-56	5/8	-38	8-32	7/32	-66	1/4-20	7/16
-10	2-56	3/4	-39	8-32	1/4	-67	1/4-20	1/2
-11	4-40	3/32	-40	8-32	9/32	-68	1/4-20	5/8
-12	4-40	1/8	-41	8-32	5/16	-69	1/4-20	3/4
-13	4-40	3/16	-42	8-32	3/8	-70	1/4-20	13/16
-14	4-40	1/4	-43	8-32	7/16	-71	1/4-20	1
-15	4-40	5/16	-44	8-32	1/2	-73	5/16-18	1/2
-16	4-40	3/8	-45	8-32	5/8	-74	5/16-18	3/4
-17	4-40	7/16	-46	8-32	3/4	-75	5/16-18	1
-18	4-40	1/2	-47	8-32	7/8	-76	5/16-18	1 1/4
-19	4-40	9/16	-48	8-32	1	-77	5/16-18	1 1/2
-20	4-40	5/8	-49	10-24	3/16	-78	3/8-16	1/2
-21	4-40	3/4	-50	10-24	1/4	-79	3/8-16	3/4
-22	4-40	7/8	-51	10-24	5/16	-80	3/8-16	1
-23	4-40	1	-52	10-24	3/8	-81	3/8-16	1 1/4
-24	6-32	1/8	-53	10-24	1/2	-82	3/8-16	1 1/2
-25	6-32	5/32	-54	10-24	5/8	-83	3/8-16	2
-26	6-32	3/16	-55	10-24	3/4	-84	3/8-16	2 1/2
-27	6-32	1/4	-56	10-24	1	-85	3/8-16	3
-28	6-32	5/16	-57	10-32	1/4			




Thread Size	A	H	J	T
2	.176	.046	.026	.025
4	.229	.064	.034	.036
6	.282	.083	.043	.046
8	.335	.100	.049	.057
10	.388	.117	.055	.068
1/4	.511	.158	.069	.094
5/16	.639	.201	.078	.121
3/8	.767	.244	.087	.147

MOLDED MACHINE SCREWS - L Series (continued)

**FLAT HEAD 82° SLOTTED**

Part No. L121 - (Size Code No.) - (Material Code No.)  
 (below) (page 63)

Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-12	2-56	1/8	-51	6-32	3/4	-88	10-32	11/16
-13	2-56	5/32	-52	6-32	13/16	-89	10-32	3/4
-14	2-56	3/16	-53	6-32	1	-90	10-32	13/16
-15	2-56	7/32	-54	6-32	1 1/16	-91	10-32	1
-16	2-56	1/4	-55	6-32	1 1/4	-92	10-32	1 1/16
-17	2-56	5/16	-56	8-32	1/4	-93	10-32	1 1/4
-18	2-56	3/8	-57	8-32	5/16	-94	10-32	1 1/2
-19	2-56	13/32	-58	8-32	3/8	-95	1/4-20	1/4
-20	2-56	1/2	-59	8-32	7/16	-96	1/4-20	5/16
-21	2-56	17/32	-60	8-32	1/2	-97	1/4-20	3/8
-22	2-56	21/32	-61	8-32	9/16	-98	1/4-20	7/16
-23	2-56	25/32	-62	8-32	5/8	-99	1/4-20	1/2
-26	4-40	5/32	-63	8-32	11/16	-100	1/4-20	9/16
-27	4-40	3/16	-64	8-32	3/4	-101	1/4-20	11/16
-28	4-40	7/32	-65	8-32	13/16	-102	1/4-20	3/4
-29	4-40	1/4	-66	8-32	1	-103	1/4-20	13/16
-30	4-40	9/32	-67	8-32	1 1/16	-104	1/4-20	7/8
-31	4-40	5/16	-68	8-32	1 1/4	-105	1/4-20	1
-32	4-40	11/32	-69	8-32	1 1/2	-106	1/4-20	1 1/16
-33	4-40	3/8	-70	10-24	1/4	-107	1/4-20	1 1/4
-34	4-40	13/32	-71	10-24	5/16	-108	1/4-20	1 3/8
-35	4-40	15/32	-72	10-24	3/8	-109	1/4-20	1 1/2
-36	4-40	1/2	-73	10-24	1/2	-112	5/16-18	1/2
-37	4-40	17/32	-74	10-24	9/16	-113	5/16-18	3/4
-38	4-40	3/4	-75	10-24	3/4	-114	5/16-18	1
-39	4-40	25/32	-76	10-24	13/16	-115	5/16-18	1 1/4
-40	4-40	1	-77	10-24	1	-116	5/16-18	1 1/2
-41	4-40	1 1/32	-78	10-24	1 1/16	-117	3/8-16	1/2
-42	6-32	3/16	-79	10-24	1 1/4	-118	3/8-16	3/4
-43	6-32	1/4	-80	10-24	1 1/2	-119	3/8-16	1
-44	6-32	5/16	-81	10-32	1/4	-120	3/8-16	1 1/4
-45	6-32	3/8	-82	10-32	5/16	-121	3/8-16	1 1/2
-46	6-32	7/16	-83	10-32	3/8	-122	3/8-16	2
-47	6-32	1/2	-84	10-32	7/16	-123	3/8-16	2 1/2
-48	6-32	9/16	-85	10-32	1/2	-124	3/8-16	3
-49	6-32	5/8	-86	10-32	9/16			
-50	6-32	11/16	-87	10-32	5/8			




Thread Size	A	H	J	T
2	.159	.051	.027	.019
4	.210	.067	.035	.025
6	.261	.083	.044	.031
8	.312	.100	.049	.037
10	.362	.116	.055	.044
1/4	.479	.153	.069	.058
5/16	.601	.191	.078	.073
3/8	.723	.230	.088	.088

**FLAT HEAD 82° PHILLIPS**

Part No. L122 - (Size Code No.) - (Material Code No.)  
 (below) (page 63)

Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-3	6-32	3/16	-19	8-32	11/16	-34	10-32	1
-4	6-32	1/4	-20	8-32	3/4	-35	10-32	1 1/16
-5	6-32	5/16	-21	8-32	13/16	-36	1/4-20	1/4
-6	6-32	3/8	-22	8-32	1	-37	1/4-20	5/16
-7	6-32	7/16	-23	8-32	1 1/16	-38	1/4-20	3/8
-8	6-32	1/2	-24	10-32	1/4	-39	1/4-20	7/16
-9	6-32	9/16	-25	10-32	5/16	-40	1/4-20	1/2
-10	6-32	11/16	-26	10-32	3/8	-41	1/4-20	9/16
-11	6-32	13/16	-27	10-32	7/16	-42	1/4-20	11/16
-12	8-32	1/4	-28	10-32	1/2	-43	1/4-20	3/4
-13	8-32	5/16	-29	10-32	9/16	-44	1/4-20	13/16
-14	8-32	3/8	-30	10-32	5/8	-45	1/4-20	7/8
-15	8-32	7/16	-31	10-32	11/16	-46	1/4-20	1
-16	8-32	1/2	-32	10-32	3/4			
-18	8-32	5/8	-33	10-32	13/16			




Thread Size	A	H	M	N
6	.261	.083	.187	.038
8	.312	.100	.224	.043
10	.362	.116	.260	.048
1/4	.479	.153	.344	.061

MOLDED MACHINE SCREWS - L Series (continued)

**HEX HEAD MACHINE SCREWS**

Part No. L106 - (Size Code No.) - (Material Code No.)  
(below) (page 63)

Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-1	2-56	1/8	-28	6-32	3/16	-53	8-32	1	-76	10-32	1/2
-2	2-56	3/16	-29	6-32	1/4	-55	8-32	1 1/4	-77	10-32	5/8
-3	2-56	1/4	-30	6-32	5/16	-56	8-32	1 3/8	-78	10-32	3/4
-5	2-56	5/16	-31	6-32	3/8	-57	8-32	1 1/2	-79	10-32	7/8
-6	2-56	3/8	-32	6-32	7/16	-58	8-32	1 3/4	-80	10-32	1
-7	2-56	7/16	-33	6-32	1/2	-59	8-32	2	-81	10-32	1 1/4
-8	2-56	1/2	-34	6-32	5/8	-60	10-24	1/8	-82	10-32	1 1/2
-9	2-56	5/8	-36	6-32	3/4	-61	10-24	3/16	-83	10-32	2
-10	2-56	3/4	-37	6-32	1	-62	10-24	1/4	-84	1/4-20	1/4
-11	4-40	1/8	-39	6-32	1 1/4	-63	10-24	5/16	-85	1/4-20	5/16
-12	4-40	3/16	-40	6-32	1 1/2	-64	10-24	3/8	-86	1/4-20	3/8
-13	4-40	1/4	-41	6-32	1 3/4	-65	10-24	1/2	-87	1/4-20	1/2
-15	4-40	5/16	-43	8-32	1/8	-66	10-24	5/8	-88	1/4-20	5/8
-16	4-40	3/8	-44	8-32	3/16	-67	10-24	3/4	-89	1/4-20	3/4
-17	4-40	7/16	-45	8-32	1/4	-68	10-24	1	-90	1/4-20	7/8
-18	4-40	1/2	-46	8-32	5/16	-69	10-24	1 1/4	-91	1/4-20	1
-19	4-40	5/8	-47	8-32	3/8	-70	10-24	1 1/2	-92	1/4-20	1 1/4
-21	4-40	3/4	-48	8-32	7/16	-71	10-32	1/8	-93	1/4-20	1 1/2
-22	4-40	7/8	-49	8-32	1/2	-72	10-32	3/16	-94	1/4-20	1 3/4
-23	4-40	1	-50	8-32	5/8	-73	10-32	1/4	-95	1/4-20	2
-25	4-40	1 1/4	-51	8-32	3/4	-74	10-32	5/16			
-27	6-32	1/8	-52	8-32	7/8	-75	10-32	3/8			



Thread Size	A		W		H	
	max.	min.	min.	max.	min.	max.
2	.125	.120	.134	.050	.040	
4	.188	.181	.202	.060	.049	
6	.250	.244	.272	.093	.080	
8	.250	.244	.272	.110	.096	
10	.312	.305	.340	.120	.105	
1/4	.375	.367	.409	.190	.172	


Dimensions may vary with material.

**MOLDED CAP SCREWS - L Series**

**HEX HEAD CAP SCREWS**

Part No. L130 - (Size Code No.) - (Material Code No.)  
(below) (page 63)

Size Code No.	Thread Size	Lgth.	Size Code No.	Thread Size	Lgth.	Size Code No.	Thread Size	Lgth.	Size Code No.	Thread Size	Lgth.	Size Code No.	Thread Size	Lgth.	Size Code No.	Thread Size	Lgth.
-100	1/4-20	1/2	-2	5/16-18	2	-7	5/8-11	1 1/2	-12	5/8-11	4	-17	3/4-10	1 1/2	-22	3/4-10	4
-101	1/4-20	3/4	-3	3/8-16	1 1/2	-8	5/8-11	2	-13	5/8-11	4 1/2	-18	3/4-10	2	-23	3/4-10	4 1/2
-102	1/4-20	1	-4	3/8-16	2	-9	5/8-11	2 1/2	-14	5/8-11	5	-19	3/4-10	2 1/2	-24	3/4-10	5
-103	1/4-20	1 1/4	-5	3/8-16	2 1/2	-10	5/8-11	3	-15	5/8-11	5 1/2	-20	3/4-10	3	-25	3/4-10	5 1/2
-104	1/4-20	1 1/2	-6	3/8-16	3	-11	5/8-11	3 1/2	-16	5/8-11	6	-21	3/4-10	3 1/2	-26	3/4-10	6
-1	5/16-18	1 1/2															




Size	A	W	H
1/4-20	.435	.498	.190
5/16-18	.502	.575	.205
3/8-16	.560	.645	.250
5/8-11	.938	1.051	.400
3/4-10	1.125	1.254	.465

Dimensions +/- .0 15

**FLANGED HEX HEAD CAP SCREWS**

Part No. L131 - (Size Code No.) - (Material Code No.)  
(below) (page 63)

Size Code No.	Thread Size	Lgth.	Size Code No.	Thread Size	Lgth.	Size Code No.	Thread Size	Lgth.	Size Code No.	Thread Size	Lgth.	Size Code No.	Thread Size	Lgth.	Size Code No.	Thread Size	Lgth.
-100	1/4-20	3/8	-9	3/8-16	1/2	-141	3/8-16	2	-1435	3/8-16	4 1/2	-23	1/2-13	1 7/8	-32	1/2-13	3 3/8
-1	1/4-20	1/2	-10	3/8-16	5/8	-1410	3/8-16	2 1/4	-15	1/2-13	3/4	-24	1/2-13	2	-33	1/2-13	3 1/2
-2	1/4-20	5/8	-11	3/8-16	3/4	-142	3/8-16	2 1/2	-16	1/2-13	7/8	-25	1/2-13	2 1/4	-331	1/2-13	3 3/4
-3	1/4-20	3/4	-12	3/8-16	7/8	-143	3/8-16	3	-17	1/2-13	1	-26	1/2-13	2 3/8	-34	1/2-13	4
-4	1/4-20	7/8	-13	3/8-16	1	-1430	3/8-16	3 1/4	-18	1/2-13	1 1/4	-27	1/2-13	2 1/2	-35	1/2-13	4 1/2
-5	1/4-20	1	-14	3/8-16	1 1/4	-1431	3/8-16	3 1/2	-19	1/2-13	1 3/8	-28	1/2-13	2 5/8	-36	1/2-13	5
-6	1/4-20	1 1/4	-140	3/8-16	1 1/2	-1432	3/8-16	3 3/4	-20	1/2-13	1 1/2	-29	1/2-13	2 3/4	-37	1/2-13	5 1/2
-7	1/4-20	1 3/8	-1402	3/8-16	1 5/8	-1433	3/8-16	4	-21	1/2-13	1 5/8	-30	1/2-13	3	-38	1/2-13	6
-8	1/4-20	1 1/2	-1403	3/8-16	1 3/4	-1434	3/8-16	4 1/4	-22	1/2-13	1 3/4	-31	1/2-13	3 1/4			



Size	A	W	D
1/4-20	.375	.425	.560
3/8-16	.550	.625	.785
1/2-13	.730	.835	1.059

Dimensions +/- .010