

MOLDED NYLON METRIC MACHINE SCREWS

*Available in the following materials:


Material Code No.	Material Name
-18	Nylon 6/6, (natural)
-78	Nylon 6/6, (black)

*Available in other materials. See materials list in index.
Other sizes available on request.

NYLON METRIC PAN HEAD


Slotted

Part No. DM244 - (Size Code No.) - (Material Code No.)



Phillips

Part No. DM245 - (Size Code No.) - (Material Code No.)



Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-100*	M2 x 0,4	3mm	-32	M3,5 x 0,6	6mm	-64	M6 x 1,00	8mm
-1	M2 x 0,4	4mm	-320	M3,5 x 0,6	7mm	-65	M6 x 1,00	10mm
-2	M2 x 0,4	5mm	-33	M3,5 x 0,6	8mm	-66	M6 x 1,00	12mm
-3	M2 x 0,4	6mm	-34	M3,5 x 0,6	10mm	-67	M6 x 1,00	16mm
-4	M2 x 0,4	8mm	-35	M3,5 x 0,6	12mm	-68	M6 x 1,00	20mm
-5	M2 x 0,4	10mm	-36	M3,5 x 0,6	16mm	-69	M6 x 1,00	22mm
-6	M2 x 0,4	12mm	-37	M3,5 x 0,6	20mm	-70	M6 x 1,00	25mm
-7	M2 x 0,4	16mm	-38	M3,5 x 0,6	25mm	-71	M6 x 1,00	30mm
-8	M2 x 0,4	20mm	-39	M3,5 x 0,6	35mm	-72	M6 x 1,00	35mm
-9	M2 x 0,4	25mm	-40	M3,5 x 0,6	42mm	-73	M6 x 1,00	40mm
-10	M2,5 x 0,45	4mm	-41	M4 x 0,7	3mm	-74	M6 x 1,00	45mm
-11	M2,5 x 0,45	5mm	-42	M4 x 0,7	6mm	-75	M6 x 1,00	50mm
-12	M2,5 x 0,45	6mm	-43	M4 x 0,7	8mm	-76	M6 x 1,00	60mm
-13	M2,5 x 0,45	8mm	-44	M4 x 0,7	10mm	-77	M6 x 1,00	70mm
-14	M2,5 x 0,45	10mm	-45	M4 x 0,7	12mm	-78	M6 x 1,00	75mm
-15	M2,5 x 0,45	12mm	-46	M4 x 0,7	16mm	-79	M8 x 1,25	10mm
-16	M2,5 x 0,45	16mm	-47	M4 x 0,7	20mm	-80	M8 x 1,25	16mm
-17	M2,5 x 0,45	20mm	-48	M4 x 0,7	25mm	-81	M8 x 1,25	20mm
-18	M2,5 x 0,45	25mm	-49	M4 x 0,7	30mm	-82	M8 x 1,25	25mm
-180**	M3 x 0,5	3mm	-50	M4 x 0,7	35mm	-83	M8 x 1,25	30mm
-19	M3 x 0,5	4mm	-51	M4 x 0,7	40mm	-84	M8 x 1,25	35mm
-20	M3 x 0,5	5mm	-52	M5 x 0,8	6mm	-85	M8 x 1,25	50mm
-21	M3 x 0,5	6mm	-53	M5 x 0,8	8mm	-86	M8 x 1,25	70mm
-22	M3 x 0,5	8mm	-54	M5 x 0,8	10mm	-87	M10 x 1,50	13mm
-23	M3 x 0,5	10mm	-55	M5 x 0,8	12mm	-88	M10 x 1,50	16mm
-24	M3 x 0,5	12mm	-56	M5 x 0,8	15mm	-89	M10 x 1,50	19mm
-25	M3 x 0,5	16mm	-57	M5 x 0,8	16mm	-90	M10 x 1,50	20mm
-26	M3 x 0,5	20mm	-58	M5 x 0,8	20mm	-91	M10 x 1,50	25mm
-27	M3 x 0,5	25mm	-59	M5 x 0,8	25mm	-92	M10 x 1,50	30mm
-28	M3 x 0,5	30mm	-60	M5 x 0,8	30mm	-93	M10 x 1,50	35mm
-29	M3 x 0,5	35mm	-61	M5 x 0,8	35mm	-94	M10 x 1,50	50mm
-30	M3 x 0,5	42mm	-62	M5 x 0,8	40mm	-95	M10 x 1,50	60mm
-31	M3,5 x 0,6	5mm	-63	M6 x 1,00	5mm			

*Slotted Only

**Phillips Only

Thread Size	A	DM244 H	DM245 H	J	T
M2	3,7-4,0	1,1-1,3	1,4-1,6	0,5-0,7	0,5 min.
M2,5	4,7-5,0	1,3-1,5	1,9-2,1	0,6-0,8	0,6 min.
M3	5,3-5,6	1,6-1,8	2,2-2,4	0,8-1,0	0,7 min.
M3,5	6,6-7,0	1,9-2,1	2,3-2,6	1,0-1,2	0,8 min.
M4	7,6-8,0	2,2-2,4	2,8-3,1	1,2-1,5	1,0 min.
M5	9,1-9,5	2,7-3,0	3,4-3,7	1,2-1,5	1,2 min.
M6	11,5-12,0	3,3-3,6	4,3-4,6	1,6-1,9	1,4 min.
M8	15,5-16,0	4,5-4,8	5,6-6,0	2,0-2,3	1,9 min.
M10	19,4-20,0	5,7-6,0	7,1-7,5	2,5-2,8	2,4 min.

Nominal Screw Length	Tolerance on Length
to 3 mm incl.	0.2
over 3 to 10 mm	0.3
over 10 to 16 mm	0.4
over 16 to 50 mm	0.5
over 50 mm	1.0

All tolerances are plus and minus.

MOLDED NYLON METRIC MACHINE SCREWS (continued)

*Available in the following materials:


Material Code No.	Material Name
-18	Nylon 6/6, (natural)
-78	Nylon 6/6, (black)

*Available in other materials. See materials list in index.
Other sizes available on request.

NYLON METRIC FILLISTER HEAD


Slotted

Part No. **DM248** - (Size Code No.) - (Material Code No.)



Phillips

Part No. **DM247** - (Size Code No.) - (Material Code No.)



Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-1	M2 x 0,4	4mm	-33	M3,5 x 0,6	8mm	-66	M6 x 1,00	12mm
-2	M2 x 0,4	5mm	-34	M3,5 x 0,6	10mm	-67	M6 x 1,00	16mm
-3	M2 x 0,4	6mm	-35	M3,5 x 0,6	12mm	-68	M6 x 1,00	20mm
-4	M2 x 0,4	8mm	-36	M3,5 x 0,6	16mm	-69	M6 x 1,00	22mm
-5	M2 x 0,4	10mm	-37	M3,5 x 0,6	20mm	-70	M6 x 1,00	25mm
-6	M2 x 0,4	12mm	-38	M3,5 x 0,6	25mm	-71	M6 x 1,00	30mm
-7	M2 x 0,4	16mm	-39	M3,5 x 0,6	35mm	-72	M6 x 1,00	35mm
-8	M2 x 0,4	20mm	-40	M3,5 x 0,6	42mm	-73	M6 x 1,00	40mm
-9	M2 x 0,4	25mm	-41	M4 x 0,7	3mm	-74	M6 x 1,00	45mm
-10	M2,5 x 0,45	4mm	-42	M4 x 0,7	6mm	-75	M6 x 1,00	50mm
-11	M2,5 x 0,45	5mm	-43	M4 x 0,7	8mm	-76	M6 x 1,00	60mm
-12	M2,5 x 0,45	6mm	-44	M4 x 0,7	10mm	-77	M6 x 1,00	70mm
-13	M2,5 x 0,45	8mm	-45	M4 x 0,7	12mm	-78	M6 x 1,00	75mm
-14	M2,5 x 0,45	10mm	-46	M4 x 0,7	16mm	-79	M8 x 1,25	10mm
-15	M2,5 x 0,45	12mm	-47	M4 x 0,7	20mm	-80	M8 x 1,25	16mm
-16	M2,5 x 0,45	16mm	-48	M4 x 0,7	25mm	-81	M8 x 1,25	20mm
-17	M2,5 x 0,45	20mm	-49	M4 x 0,7	30mm	-82	M8 x 1,25	25mm
-18	M2,5 x 0,45	25mm	-50	M4 x 0,7	35mm	-83	M8 x 1,25	30mm
-19	M3 x 0,5	4mm	-51	M4 x 0,7	40mm	-84	M8 x 1,25	35mm
-20	M3 x 0,5	5mm	-52	M5 x 0,8	6mm	-85	M8 x 1,25	50mm
-21	M3 x 0,5	6mm	-53	M5 x 0,8	8mm	-86	M8 x 1,25	70mm
-22	M3 x 0,5	8mm	-54	M5 x 0,8	10mm	-87	M10 x 1,50	13mm
-23	M3 x 0,5	10mm	-55	M5 x 0,8	12mm	-88	M10 x 1,50	16mm
-24	M3 x 0,5	12mm	-56	M5 x 0,8	15mm	-89	M10 x 1,50	19mm
-25	M3 x 0,5	16mm	-57	M5 x 0,8	16mm	-90	M10 x 1,50	20mm
-26	M3 x 0,5	20mm	-58	M5 x 0,8	20mm	-91	M10 x 1,50	25mm
-27	M3 x 0,5	25mm	-59	M5 x 0,8	25mm	-92	M10 x 1,50	30mm
-28	M3 x 0,5	30mm	-60	M5 x 0,8	30mm	-93	M10 x 1,50	35mm
-29	M3 x 0,5	35mm	-61	M5 x 0,8	35mm	-94	M10 x 1,50	50mm
-30	M3 x 0,5	42mm	-62	M5 x 0,8	40mm	-95	M10 x 1,50	60mm
-31	M3,5 x 0,6	5mm	-63	M6 x 1,00	5mm			
-32	M3,5 x 0,6	6mm	-64	M6 x 1,00	8mm			
-320	M3,5 x 0,6	7mm	-65	M6 x 1,00	10mm			

Thread Size	DM248 A	DM247 A	DM248 H	DM247 H	J	T
M2	3,8	3,8	1,60	1,60	0,60	0,90
M2,5	5,0	5,0	2,00	2,00	0,70	1,10
M3	6,0	6,0	2,40	2,40	1,00	1,30
M3,5	7,0	7,0	2,70	2,70	1,10	1,40
M4	8,0	8,0	3,10	3,10	1,20	1,60
M5	9,4	10,0	3,80	3,80	1,50	2,00
M6	12,0	12,0	4,60	4,60	1,90	2,30
M8	16,0	16,0	6,00	6,00	2,30	2,80
M10	20,0	18,0	7,50	7,00	2,80	3,20

*Available in other materials. See materials list in index.
Other sizes available on request.


MOLDED NYLON METRIC MACHINE SCREWS (continued)

*Available in the following materials:

Material Code No.	Material Name
-18	Nylon 6/6, (natural)
-78	Nylon 6/6, (black)


NYLON METRIC HEX HEAD

Part No. DM246 - (Size Code No.) - (Material Code No.)



NYLON METRIC HEX HEAD SLOTTED

Part No. DM255 - (Size Code No.) - (Material Code No.)



Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-1	M2 x 0,4	4mm	-33	M3,5 x 0,6	8mm	-65	M6 x 1,00	16mm
-2	M2 x 0,4	5mm	-34	M3,5 x 0,6	10mm	-66	M6 x 1,00	20mm
-3	M2 x 0,4	6mm	-35	M3,5 x 0,6	12mm	-67	M6 x 1,00	25mm
-4	M2 x 0,4	8mm	-36	M3,5 x 0,6	16mm	-68	M6 x 1,00	30mm
-5	M2 x 0,4	10mm	-37	M3,5 x 0,6	20mm	-69	M6 x 1,00	35mm
-6	M2 x 0,4	12mm	-38	M3,5 x 0,6	25mm	-70	M6 x 1,00	40mm
-7	M2 x 0,4	16mm	-39	M3,5 x 0,6	35mm	-71	M6 x 1,00	45mm
-8	M2 x 0,4	20mm	-40	M3,5 x 0,6	42mm	-72	M6 x 1,00	50mm
-9	M2 x 0,4	25mm	-41	M4 x 0,7	6mm	-73	M6 x 1,00	60mm
-10	M2,5 x 0,45	4mm	-42	M4 x 0,7	8mm	-74	M6 x 1,00	70mm
-11	M2,5 x 0,45	5mm	-43	M4 x 0,7	10mm	-75	M6 x 1,00	75mm
-12	M2,5 x 0,45	6mm	-44	M4 x 0,7	12mm	-76	M8 x 1,25	10mm
-13	M2,5 x 0,45	8mm	-45	M4 x 0,7	16mm	-77	M8 x 1,25	16mm
-14	M2,5 x 0,45	10mm	-46	M4 x 0,7	20mm	-78	M8 x 1,25	20mm
-15	M2,5 x 0,45	12mm	-47	M4 x 0,7	25mm	-79	M8 x 1,25	25mm
-16	M2,5 x 0,45	16mm	-48	M4 x 0,7	30mm	-80	M8 x 1,25	30mm
-17	M2,5 x 0,45	20mm	-49	M4 x 0,7	35mm	-81	M8 x 1,25	35mm
-18	M2,5 x 0,45	25mm	-50	M4 x 0,7	40mm	-810	M8 x 1,25	40mm
-19	M3 x 0,5	4mm	-51	M5 x 0,8	6mm	-82	M8 x 1,25	50mm
-20	M3 x 0,5	5mm	-52	M5 x 0,8	8mm	-83	M8 x 1,25	70mm
-21	M3 x 0,5	6mm	-53	M5 x 0,8	10mm	-84	M10 x 1,50	16mm
-22	M3 x 0,5	8mm	-54	M5 x 0,8	12mm	-85	M10 x 1,50	20mm
-23	M3 x 0,5	10mm	-55	M5 x 0,8	16mm	-86	M10 x 1,50	25mm
-24	M3 x 0,5	12mm	-56	M5 x 0,8	20mm	-87	M10 x 1,50	30mm
-25	M3 x 0,5	16mm	-57	M5 x 0,8	25mm	-88	M10 x 1,50	35mm
-26	M3 x 0,5	20mm	-58	M5 x 0,8	30mm	-89	M10 x 1,50	50mm
-27	M3 x 0,5	25mm	-59	M5 x 0,8	35mm	-90	M10 x 1,50	60mm
-28	M3 x 0,5	30mm	-60	M5 x 0,8	40mm	-900	M10 x 1,50	70mm
-29	M3 x 0,5	35mm	-600*	M5 x 0,8	70mm	-901*	M12 x 1,75	20mm
-30	M3 x 0,5	42mm	-61	M6 x 1,00	5mm	-902*	M12 x 1,75	25mm
-31	M3,5 x 0,6	5mm	-62	M6 x 1,00	8mm	-903*	M12 x 1,75	30mm
-32	M3,5 x 0,6	6mm	-63	M6 x 1,00	10mm	-903*	M12 x 1,75	35mm
-320	M3,5 x 0,6	7mm	-64	M6 x 1,00	12mm	-91*	M12 x 1,75	40mm

* Not available in slotted hex head.

Thread Size	A	W	H	J	T
M2	3,02-3,20	3,38 min.	1,3-1,6	,60	,46
M2,5	3,82-4,00	4,28 min.	1,8-2,1	,80	,99
M3	4,82-5,00	5,40 min.	2,0-2,3	,99	1,30
M3,5	5,32-5,50	5,96 min.	2,3-2,6	1,20	1,28
M4	6,78-7,00	7,59 min.	2,6-3,0	1,24	1,28
M5	7,78-8,00	8,71 min.	3,3-3,8	1,30	1,40
M6	9,78-10,00	10,95 min.	4,1-,47	1,70	2,24
M8	12,73-13,00	14,26 min.	5,2-6,0	2,15	2,27
M10	15,73-16,00	17,62 min.	6,5-7,5	2,38	2,90
M12	17,73-18,00	19,86 min.	7,8-9,0	-	-

Nominal Screw Length	Tolerance on Length
to 3 mm incl.	0.2
over 3 to 10 mm	0.3
over 10 to 16 mm	0.4
over 16 to 50 mm	0.5
over 50 mm	1.0

All tolerances are plus and minus.

MOLDED NYLON METRIC MACHINE SCREWS (continued)


*Available in other materials. See materials list in index.
Other sizes available on request.

*Available in the following materials:

Material Code No.	Material Name
-18	Nylon 6/6, (natural)
-78	Nylon 6/6, (black)

NYLON METRIC CHEESE HEAD

Slotted



Part No. **DM243** - (Size Code No.) - (Material Code No.)

Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-1	M2 x 0,4	4mm	-31	M3,5 x 0,6	5mm	-61	M6 x 1,00	5mm
-2	M2 x 0,4	5mm	-32	M3,5 x 0,6	6mm	-62	M6 x 1,00	8mm
-3	M2 x 0,4	6mm	-33	M3,5 x 0,6	8mm	-63	M6 x 1,00	10mm
-4	M2 x 0,4	8mm	-34	M3,5 x 0,6	10mm	-64	M6 x 1,00	12mm
-5	M2 x 0,4	10mm	-35	M3,5 x 0,6	12mm	-65	M6 x 1,00	16mm
-6	M2 x 0,4	12mm	-36	M3,5 x 0,6	16mm	-66	M6 x 1,00	20mm
-7	M2 x 0,4	16mm	-37	M3,5 x 0,6	20mm	-67	M6 x 1,00	25mm
-8	M2 x 0,4	20mm	-38	M3,5 x 0,6	25mm	-68	M6 x 1,00	30mm
-9	M2 x 0,4	25mm	-39	M3,5 x 0,6	35mm	-69	M6 x 1,00	35mm
-10	M2,5 x 0,45	4mm	-40	M3,5 x 0,6	42mm	-70	M6 x 1,00	40mm
-11	M2,5 x 0,45	5mm	-400	M4 x 0,7	4mm	-71	M6 x 1,00	45mm
-12	M2,5 x 0,45	6mm	-41	M4 x 0,7	6mm	-72	M6 x 1,00	50mm
-13	M2,5 x 0,45	8mm	-42	M4 x 0,7	8mm	-73	M6 x 1,00	60mm
-14	M2,5 x 0,45	10mm	-43	M4 x 0,7	10mm	-730	M6 x 1,00	65mm
-15	M2,5 x 0,45	12mm	-44	M4 x 0,7	12mm	-74	M6 x 1,00	70mm
-16	M2,5 x 0,45	16mm	-45	M4 x 0,7	16mm	-75	M6 x 1,00	75mm
-17	M2,5 x 0,45	20mm	-46	M4 x 0,7	20mm	-76	M8 x 1,25	10mm
-18	M2,5 x 0,45	25mm	-47	M4 x 0,7	25mm	-77	M8 x 1,25	16mm
-19	M3 x 0,5	4mm	-48	M4 x 0,7	30mm	-78	M8 x 1,25	20mm
-20	M3 x 0,5	5mm	-49	M4 x 0,7	35mm	-79	M8 x 1,25	25mm
-21	M3 x 0,5	6mm	-50	M4 x 0,7	40mm	-80	M8 x 1,25	30mm
-22	M3 x 0,5	8mm	-51	M5 x 0,8	6mm	-81	M8 x 1,25	35mm
-23	M3 x 0,5	10mm	-52	M5 x 0,8	8mm	-82	M8 x 1,25	50mm
-24	M3 x 0,5	12mm	-53	M5 x 0,8	10mm	-83	M8 x 1,25	70mm
-240	M3 x 0,5	14mm	-54	M5 x 0,8	12mm	-84	M10 x 1,50	16mm
-25	M3 x 0,5	16mm	-55	M5 x 0,8	16mm	-85	M10 x 1,50	20mm
-26	M3 x 0,5	20mm	-56	M5 x 0,8	20mm	-86	M10 x 1,50	25mm
-27	M3 x 0,5	25mm	-57	M5 x 0,8	25mm	-87	M10 x 1,50	30mm
-28	M3 x 0,5	30mm	-58	M5 x 0,8	30mm	-88	M10 x 1,50	35mm
-29	M3 x 0,5	35mm	-59	M5 x 0,8	35mm	-89	M10 x 1,50	50mm
-30	M3 x 0,5	42mm	-60	M5 x 0,8	40mm	-90	M10 x 1,50	60mm

Thread

Size	A	H	J	T
M2	3,80	1,30	0,70	0,90
M2,5	4,50	1,60	0,80	1,00
M3	5,50	2,00	1,00	1,30
M3,5	6,00	2,40	1,10	1,40
M4	7,00	2,60	1,20	1,60
M5	8,50	3,30	1,50	2,00
M6	10,00	3,90	1,90	2,30
M8	13,00	5,00	2,30	2,80
M10	15,63	6,00	2,80	3,20

Nominal Screw Length	Tolerance on Length
to 3 mm incl.	0.2
over 3 to 10 mm	0.3
over 10 to 16 mm	0.4
over 16 to 50 mm	0.5
over 50 mm	1.0

All tolerances are plus and minus.

*Available in other materials. See materials list in index.
Other sizes available on request.

MOLDED NYLON METRIC MACHINE SCREWS (continued)


*Available in the following materials:

Material Code No.	Material Name
-18	Nylon 6/6, (natural)
-78	Nylon 6/6, (black)

NYLON METRIC FLAT HEAD

Slotted


Part No. DM251 - (Size Code No.) - (Material Code No.)



NYLON METRIC OVAL HEAD

Slotted

Part No. DM250 - (Size Code No.) - (Material Code No.)



Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-1	M2 x 0,4	3mm	-27	M3 x 0,5	25mm	-510	M5 x 0,8	16mm
-2	M2 x 0,4	5mm	-28	M3 x 0,5	30mm	-520	M5 x 0,8	20mm
-3	M2 x 0,4	6mm	-29	M3 x 0,5	42mm	-53	M5 x 0,8	25mm
-4	M2 x 0,4	8mm	-30	M3,5 x 0,6	5mm	-54	M5 x 0,8	30mm
-5	M2 x 0,4	10mm	-31	M3,5 x 0,6	6mm	-540	M5 x 0,8	35mm
-6	M2 x 0,4	11mm	-32	M3,5 x 0,6	8mm	-56	M5 x 0,8	40mm
-7	M2 x 0,4	12mm	-33	M3,5 x 0,6	10mm	-57	M6 x 1,00	8mm
-8	M2 x 0,4	16mm	-34	M3,5 x 0,6	16mm	-58	M6 x 1,00	10mm
-9	M2 x 0,4	25mm	-35	M3,5 x 0,6	20mm	-59	M6 x 1,00	12mm
-10	M2,5 x 0,45	4mm	-36	M3,5 x 0,6	25mm	-60	M6 x 1,00	16mm
-11	M2,5 x 0,45	5mm	-37	M3,5 x 0,6	35mm	-61	M6 x 1,00	20mm
-12	M2,5 x 0,45	6mm	-38	M4 x 0,7	6mm	-62	M6 x 1,00	25mm
-13	M2,5 x 0,45	8mm	-39	M4 x 0,7	8mm	-63	M6 x 1,00	35mm
-14	M2,5 x 0,45	10mm	-40	M4 x 0,7	10mm	-64	M6 x 1,00	40mm
-15	M2,5 x 0,45	12mm	-41	M4 x 0,7	12mm	-65	M6 x 1,00	45mm
-16	M2,5 x 0,45	16mm	-42	M4 x 0,7	15mm	-66	M6 x 1,00	50mm
-17	M2,5 x 0,45	20mm	-43	M4 x 0,7	16mm	-67	M8 x 1,25	16mm
-18	M2,5 x 0,45	25mm	-44	M4 x 0,7	20mm	-68	M8 x 1,25	20mm
-19	M3 x 0,5	5mm	-45	M4 x 0,7	25mm	-69	M8 x 1,25	25mm
-20	M3 x 0,5	6mm	-46	M4 x 0,7	30mm	-70	M8 x 1,25	30mm
-21	M3 x 0,5	8mm	-47	M4 x 0,7	35mm	-71	M8 x 1,25	50mm
-22	M3 x 0,5	10mm	-48	M5 x 0,8	6mm	-72	M10 x 1,50	20mm
-23	M3 x 0,5	12mm	-49	M5 x 0,8	8mm	-73	M10 x 1,50	25mm
-24	M3 x 0,5	15mm	-50	M5 x 0,8	10mm	-74	M10 x 1,50	30mm
-25	M3 x 0,5	16mm	-52	M5 x 0,8	15mm	-75	M10 x 1,50	35mm
-26	M3 x 0,5	20mm	-51	M5 x 0,8	12mm	-76	M10 x 1,50	60mm

*Sizes M3,5 x 0,6 x 20mm and M5 x 0,8 x 35mm available in slotted oval head only.

Thread Size	A	H	DM250 O	J	DM251 T	DM250 T
M2	3,5-4,4	1,2 max ref.	1,7 max	0,5-0,7	0,4-0,6	0,8-1,0
M2,5	4,4-5,5	1,5 max ref.	2,1 max	0,6-0,8	0,5-0,7	1,0-1,2
M3	5,2-6,3	1,7 max ref.	2,4 max	0,8-1,0	0,6-0,9	1,2-1,5
M3,5	6,9-8,2	2,3 max ref.	3,1 max	1,0-1,2	0,9-1,2	1,4-1,7
M4	8,0-9,4	2,7 max ref.	3,7 max	1,2-1,5	1,0-1,3	1,6-1,9
M5	8,9-10,4	2,7 max ref.	3,9 max	1,2-1,5	1,1-1,4	2,0-2,4
M6	10,9-12,6	3,3 max ref.	4,7 max	1,6-1,9	1,2-1,6	2,4-2,8
M8	15,4-17,3	4,6 max ref.	6,6 max	2,0-2,3	1,8-2,3	3,2-3,7
M10	17,8-20,0	5,0 max ref.	7,3 max	2,5-2,8	2,0-2,6	3,8-4,4

MOLDED NYLON METRIC MACHINE SCREWS (continued)

*Available in other materials. See materials list in index.
Other sizes available on request.


*Available in the following materials:

Material Code No.	Material Name
-18	Nylon 6/6, (natural)
-78	Nylon 6/6, (black)

NYLON METRIC FLAT HEAD

Phillips


Part No. DM252 - (Size Code No.) - (Material Code No.)



NYLON METRIC OVAL HEAD

Phillips

Part No. DM249 - (Size Code No.) - (Material Code No.)



Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length	Size Code No.	Thread Size	Length
-1	M2,5 x 0,45	4mm	-21	M3,5 x 0,6	10mm	-41	M5 x 0,8	30mm
-2	M2,5 x 0,45	5mm	-22	M3,5 x 0,6	12mm	-42	M5 x 0,8	40mm
-3	M2,5 x 0,45	6mm	-23	M3,5 x 0,6	16mm	-43	M6 x 1,00	8mm
-4	M2,5 x 0,45	8mm	-24	M3,5 x 0,6	20mm	-44	M6 x 1,00	10mm
-5	M2,5 x 0,45	10mm	-25	M3,5 x 0,6	25mm	-45	M6 x 1,00	12mm
-6	M2,5 x 0,45	12mm	-26	M3,5 x 0,6	35mm	-46	M6 x 1,00	16mm
-7	M2,5 x 0,45	16mm	-27	M4 x 0,7	6mm	-47	M6 x 1,00	20mm
-8	M2,5 x 0,45	20mm	-28	M4 x 0,7	8mm	-48	M6 x 1,00	25mm
-9	M2,5 x 0,45	25mm	-29	M4 x 0,7	10mm	-49	M6 x 1,00	35mm
-10	M3 x 0,5	5mm	-30	M4 x 0,7	12mm	-50	M6 x 1,00	45mm
-11	M3 x 0,5	6mm	-31	M4 x 0,7	16mm	-51	M8 x 1,25	10mm
-12	M3 x 0,5	8mm	-32	M4 x 0,7	20mm	-52	M8 x 1,25	16mm
-13	M3 x 0,5	10mm	-33	M4 x 0,7	25mm	-53	M8 x 1,25	20mm
-14	M3 x 0,5	12mm	-34	M5 x 0,8	6mm	-54	M8 x 1,25	25mm
-15	M3 x 0,5	16mm	-35	M5 x 0,8	8mm	-55	M8 x 1,25	30mm
-16	M3 x 0,5	20mm	-36	M5 x 0,8	10mm	-56	M8 x 1,25	50mm
-17	M3 x 0,5	25mm	-37	M5 x 0,8	12mm	-57	M10 x 1,5	20mm
-18	M3,5 x 0,6	5mm	-38	M5 x 0,8	16mm	-58	M10 x 1,5	25mm
-19	M3,5 x 0,6	6mm	-39	M5 x 0,8	20mm	-59	M10 x 1,5	35mm
-20	M3,5 x 0,6	8mm	-40	M5 x 0,8	25mm			

Thread Size	A	H*	DM249 O
M2	3,5-4,4	1,2 max ref.	1,7 max
M2,5	4,4-5,5	1,5 max ref.	2,1 max
M3	5,2-6,3	1,7 max ref.	2,4 max
M3,5	6,9-8,2	2,3 max ref.	3,1 max
M4	8,0-9,4	2,7 max ref.	3,7 max
M5	8,9-10,4	2,7 max ref.	3,9 max
M6	10,9-12,6	3,3 max ref.	4,7 max
M8	15,4-17,3	4,6 max ref.	6,6 max
M10	17,8-20,0	5,0 max ref.	7,3 max

*For Reference Only